

	Hits	Search Text	DBs
1	46971	SiC or silicon adj carbide	US-PGPUB; USPAT
2	1263	156/89.11-89.26.ccls.	US-PGPUB; USPAT
3	678654	tube	US-PGPUB; USPAT
4	64	(SiC or silicon adj carbide) and 156/89.11-89.26.ccls. and tube	US-PGPUB; USPAT
5	284435	taper\$3	US-PGPUB; USPAT
6	27	156/89.11-89.26.ccls. and tube and taper\$3	US-PGPUB; USPAT
7	3	"4070197".URPN.	USPAT
8	5	("2319323" "2964823" "3482791" "3923314" "3966885").PN.	USPAT
9	6	"2319323".URPN.	USPAT
10	1575	156/304.1-304.6.ccls.	US-PGPUB; USPAT
11	17	(SiC or silicon adj carbide) and 156/304.1-304.6.ccls.	US-PGPUB; USPAT
12	138851	collar	US-PGPUB; USPAT
13	78	collar and (156/89.11- 89.26.ccls. or 156/304.1- 304.6.ccls.)	US-PGPUB; USPAT
14	78	collar and (156/89.11- 89.26.ccls. or 156/304.1- 304.6.ccls.)	US-PGPUB; USPAT
15	47044	SiC or silicon adj carbide	US-PGPUB; USPAT
16	138960	collar	US-PGPUB; USPAT
17	134	(SiC or silicon adj carbide) same collar	US-PGPUB; USPAT
18	992	(SiC or silicon adj carbide) and collar	US-PGPUB; USPAT
19	2497	156/293,294.ccls.	US-PGPUB; USPAT
20	47044	SiC or silicon adj carbide	US-PGPUB; USPAT
21	26	156/293,294.ccls. and (SiC or silicon adj carbide)	US-PGPUB; USPAT
22	57234	sic or silicon adj carbide	EPO; JPO; DERWENT; IBM_TDB
23	74373	collar	EPO; JPO; DERWENT; IBM_TDB
24	56	(sic or silicon adj carbide) and collar	EPO; JPO; DERWENT; IBM_TDB
25	22747	SiC or silicon adj carbide	USOCR
26	227092	collar	USOCR

	Hits	Search Text	DBs
27	2216	(SiC or silicon adj carbide) and collar	USOCR
28	810	(SiC or silicon adj carbide) same collar	USOCR
29	505063	tube	USOCR
30	33	(SiC or silicon adj carbide) with tube and tube with collar	USOCR
31	143	(SiC or silicon adj carbide) same tube same collar	USOCR
32	122	((SiC or silicon adj carbide) same tube same collar) not ((SiC or silicon adj carbide) with tube and tube with collar)	USOCR
33	N/A	(SiC or silicon adj carbide) same collar same (paste or slurry)	USOCR
34	13	(SiC or silicon adj carbide) same collar same (paste or slurry)	USOCR
35	0	(SiC or silicon adj carbide) with (tube or pipe) and (tube or pipe) with collar same (paste or slurry)	USOCR
36	13	(SiC or silicon adj carbide) with pipe and pipe with collar	USOCR
37	13	(SiC or silicon adj carbide) same collar same (paste or slurry)	USOCR
38	26	(SiC or silicon adj carbide) and collar same (paste or slurry)	USOCR
39	779	(SiC or silicon adj carbide) same (tube or pipe) and (tube or pipe) same sleeve	USOCR
40	25	(SiC or silicon adj carbide) same (tube or pipe) and (tube or pipe) same sleeve same (paste or slurry)	USOCR

	Hits	Search Text	DBs
41	9	(sic or silicon adj carbide) with (tube or pipe) and (tube or pipe) with sleeve same (paste or slurry)	US-PGPUB; USPAT
42	23	(sic or silicon adj carbide) and (tube or pipe) with sleeve same (paste or slurry)	US-PGPUB; USPAT
43	14	((sic or silicon adj carbide) and (tube or pipe) with sleeve same (paste or slurry)) not ((sic or silicon adj carbide) with (tube or pipe) and (tube or pipe) with sleeve same (paste or slurry))	US-PGPUB; USPAT
44	73	mako.in.	US-PGPUB; USPAT
45	22826	bruce.in.	US-PGPUB; USPAT
46	184849	robert.in.	US-PGPUB; USPAT
47	365	bruce.in. with robert.in.	US-PGPUB; USPAT
48	45	ceramic and (bruce.in. with robert.in.)	US-PGPUB; USPAT
49	52580	SiC or silicon adj carbide	US-PGPUB; USPAT
50	145619	collar	US-PGPUB; USPAT
51	1099	(SiC or silicon adj carbide) and collar	US-PGPUB; USPAT
52	82045	"156"/\$7.ccls.	US-PGPUB; USPAT
53	54	((SiC or silicon adj carbide) and collar) and "156"/\$7.ccls.	US-PGPUB; USPAT
54	64	(SiC or silicon adj carbide) with collar	US-PGPUB; USPAT
55	62007	SiC or silicon adj carbide	EPO; JPO; DERWENT; IBM_TDB
56	334422	joint	EPO; JPO; DERWENT; IBM_TDB
57	238	(SiC or silicon adj carbide) with joint	EPO; JPO; DERWENT; IBM_TDB
58	213423	slurry or paste	EPO; JPO; DERWENT; IBM_TDB
59	16	((SiC or silicon adj carbide) with joint) and (slurry or paste)	EPO; JPO; DERWENT; IBM_TDB
60	1	("6692597").PN.	USPAT; USOCR

	Hits	Search Text	DBs
61	1	("2319323").PN.	USPAT; USOCR
62	2	((("4070197") or ("4783229"))).PN.	USPAT; USOCR
63	10	"245769"	EPO; JPO; DERWENT; IBM_TDB
64	25	"245769"	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	10	"245769"	EPO; JPO; DERWENT; IBM_TDB
66	2099	ackerman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	86277	silicon adj carbide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	6	S65 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	1	("4783229").PN.	USPAT
70	17	("1954610" "2174218" "2623571" "2795440" "2998646" "3239323" "4487644").PN. OR ("4783229").URPN.	US-PGPUB; USPAT; USOCR
71	14	("2319323" "3270780" "4047993" "4070197" "4487644" "4526649" "4762269" "4783229" "4921554" "5407504" "5534091" "6165301").PN. OR ("6692597").URPN.	US-PGPUB; USPAT; USOCR
72	7	("2319323").URPN.	USPAT
73	28	("4252588" "4293439" "4487644" "4514240" "4692418" "4762269" "4772346" "4808659" "4832771" "4857395" "4862763" "5013609" "5067999" "5089071" "5139594" "5173367" "5211999" "5217770" "5229481" "5244720" "5308421").PN. OR ("5407504").URPN.	US-PGPUB; USPAT; USOCR

	Hits	Search Text	DBs
74	2	("2319323").PN.	US-PGPUB; USPAT; USOCR
75	1	("6692597").PN.	US-PGPUB; USPAT; USOCR
76	39949	butt	US-PGPUB; USPAT
77	397	156/304.5.ccls.	US-PGPUB; USPAT
78	86	S75 and S76	US-PGPUB; USPAT
79	397	156/304.5.ccls.	US-PGPUB; USPAT
80	66378	SiC or silicon adj carbide	US-PGPUB; USPAT
81	5	S78 and S79	US-PGPUB; USPAT
82	273324	ceramic	US-PGPUB; USPAT
83	25	S78 and S81	US-PGPUB; USPAT
84	11	("0957187" "1539148" "2007961" "2794940" "4759965" "5190708").PN. OR ("5685931").URPN.	US-PGPUB; USPAT; USOCR
85	17	("1954610" "2174218" "2623571" "2795440" "2998646" "3239323" "4487644").PN. OR ("4780161").URPN.	US-PGPUB; USPAT; USOCR
86	17	("1954610" "2174218" "2623571" "2795440" "2998646" "3239323" "4487644").PN. OR ("4783229").URPN.	US-PGPUB; USPAT; USOCR
87	7	"1159628"	EPO; JPO; DERWENT; IBM_TDB
88	5	"567973"	EPO; JPO; DERWENT; IBM_TDB
89	367847	ceramic or SiC or silicon adj carbide	EPO; JPO; DERWENT; IBM_TDB
90	2168004	tube or pipe or rod	EPO; JPO; DERWENT; IBM_TDB
91	165007	taper\$3	EPO; JPO; DERWENT; IBM_TDB
92	932627	slurry or paste or adhesive or binder	EPO; JPO; DERWENT; IBM_TDB
93	39	S88 and S89 and S90 and S91	EPO; JPO; DERWENT; IBM_TDB
94	487	S88 and S89 same S90	EPO; JPO; DERWENT; IBM_TDB
95	2850046	heat\$3 or sinter\$3 or fire\$1 or firing or bake\$1 or baking	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
96	177	S93 and S94	EPO; JPO; DERWENT; IBM_TDB
97	186	S88 and S90 and S91	EPO; JPO; DERWENT; IBM_TDB
98	82	S96 and S94	EPO; JPO; DERWENT; IBM_TDB
99	783863	glass or alumina or aluminum adj oxide or Al2O3	EPO; JPO; DERWENT; IBM_TDB
100	90	S98 and S90 and S91 and S94	EPO; JPO; DERWENT; IBM_TDB
101	492494	sinter\$3 or fire\$1 or firing or bake\$1 or baking	EPO; JPO; DERWENT; IBM_TDB
102	162	S90 and S91 and S100	EPO; JPO; DERWENT; IBM_TDB
103	116	S101 not S97	EPO; JPO; DERWENT; IBM_TDB
104	752	S88 and S90 and S94	EPO; JPO; DERWENT; IBM_TDB
105	63786	SiC or silicon adj carbide	EPO; JPO; DERWENT; IBM_TDB
106	77	S104 and S90 and S94	EPO; JPO; DERWENT; IBM_TDB
107	162	S90 and S91 and S100	EPO; JPO; DERWENT; IBM_TDB
108	2098951	body or bodies	EPO; JPO; DERWENT; IBM_TDB
109	2664	(S88 or S98) and (S89 or S107) and S90	EPO; JPO; DERWENT; IBM_TDB
110	204	S108 and S91	EPO; JPO; DERWENT; IBM_TDB
111	165	S109 not S92	EPO; JPO; DERWENT; IBM_TDB
112	170939	alumina or aluminum adj oxide or Al2O3 or "al.sub.2.O.sub.3"	EPO; JPO; DERWENT; IBM_TDB
113	27985	chamfer\$3	EPO; JPO; DERWENT; IBM_TDB
114	79	(S88 or S111) and S89 and (S90 or S112) and S100	EPO; JPO; DERWENT; IBM_TDB
115	256	(S88 or S111) and S89 and (S90 or S112) and S94	EPO; JPO; DERWENT; IBM_TDB
116	62	(S89 or S107) and S90 and S91 and S100	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
117	108	(S89 or S107 or substrate or part) and S90 and S91 and S100	EPO; JPO; DERWENT; IBM_TDB
118	138	(S88 or S111) and (S89 or S107 or substrate or part) and S90 and S91	EPO; JPO; DERWENT; IBM_TDB
119	2006	156/89.11-89.28.ccls.	US-PGPUB; USPAT; USOCR
120	602454	taper\$3	US-PGPUB; USPAT; USOCR
121	82	S118 and S119	US-PGPUB; USPAT; USOCR
122	5677	264/603-683.ccls.	US-PGPUB; USPAT; USOCR
123	222	S119 and S121	US-PGPUB; USPAT; USOCR
124	89125	SiC or silicon adj carbide	US-PGPUB; USPAT; USOCR
125	2517937	tube or pipe or rod	US-PGPUB; USPAT; USOCR
126	1019543	slurry or paste or adhesive or binder	US-PGPUB; USPAT; USOCR
127	2012756	join\$3 or bond\$3	US-PGPUB; USPAT; USOCR
128	10559	S123 and S124 and S125 and S126	US-PGPUB; USPAT; USOCR
129	394	S123 same S124 same S125 same S126	US-PGPUB; USPAT; USOCR
130	591	preceramic	US-PGPUB; USPAT; USOCR
131	15	S118 and S129	US-PGPUB; USPAT; USOCR
132	1	("4419161").PN.	USPAT
133	18	("2806800" "3657592").PN. OR ("4419161").URPN.	US-PGPUB; USPAT; USOCR
134	13	"2022490"	EPO; JPO; DERWENT; IBM_TDB
135	89125	SiC or silicon adj carbide	US-PGPUB; USPAT; USOCR
136	2517937	tube or pipe or rod	US-PGPUB; USPAT; USOCR
137	2012756	join\$3 or bond\$3	US-PGPUB; USPAT; USOCR

	Hits	Search Text	DBs
138	220	S134 with S135 with S136	US-PGPUB; USPAT; USOCR
139	1	("6165301").PN.	USPAT
140	7	("4070197" "4526649" "5462902" "5683028").PN. OR ("6165301").URPN.	US-PGPUB; USPAT; USOCR
141	1	("3951587").PN.	USPAT
142	1	("5954900").PN.	USPAT
143	1	"63012378"	EPO; JPO; DERWENT; IBM_TDB
144	0	"63012379"	EPO; JPO; DERWENT; IBM_TDB
145	2	"02055653"	EPO; JPO; DERWENT; IBM_TDB
146	1	("5407504").PN.	USPAT
147	28	("4252588" "4293439" "4487644" "4514240" "4692418" "4762269" "4772346" "4808659" "4832771" "4857395" "4862763" "5013609" "5067999" "5089071" "5139594" "5173367" "5211999" "5217770" "5229481" "5244720" "5308421").PN. OR ("5407504").URPN.	US-PGPUB; USPAT; USOCR
148	1	("3905723").PN.	USPAT
149	5	"2544237"	EPO; JPO; DERWENT
150	11	"0362074"	EPO; JPO; DERWENT
151	4	"362074"	EPO; JPO; DERWENT
152	9	"451512"	EPO; JPO; DERWENT
153	53	fire adj resistant adj cement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
154	264822	cement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
155	152911	SiC or silicon adj carbide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT
156	789	S153 with S154	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT